L Number	Hits	Search Text	DB	Time stamp
2	2	"08065006"	EPO; JPO;	2004/04/01 12:58
			DERWENT;	
_			IBM_TDB	
7	3	"114809"	EPO; JPO;	2004/04/01 12:58
			DERWENT;	
8	2	"2000114809"	IBM_TDB EPO; JPO;	2004/04/01 12:59
•		2000114007	DERWENT;	2004/04/01 12.37
			IBM_TDB	
9	4	"2512279"	EPO; JPO;	2004/04/01 12:59
	[DERWENT;	
			IBM_TDB	
-	202	dielectric adj resonator and (enclosure housing) and tuning and (plate	USPAT;	2004/03/31 13:05
		disk)	US-PGPUB;	
			EPO; JPO; DERWENT;	
	ļ		IBM_TDB	
-	59	(dielectric adj resonator and (enclosure housing) and tuning and (plate	USPAT;	2004/03/31 13:03
		disk)) and (plate disk) near5 (shape size differ\$4)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	16	(dialastnia adi masamatan and (analastnia harri) and truit (-1-t-	IBM_TDB	2004/02/21 12:02
-	16	(dielectric adj resonator and (enclosure housing) and tuning and (plate disk)) and (plate disk) near5 (differ\$4)	USPAT; US-PGPUB;	2004/03/31 13:03
		disk)) and (plate disk) hears (differs 4)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	103	dielectric adj resonator and (enclosure housing) and tuning with (plate	USPĀT; →	2004/03/31 13:05
		disk)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	112	dielectric adj resonator and (enclosure housing) and tuning with (plate	IBM_TDB USPAT;	2004/03/31 13:08
		disk disc washer ring annulus)	US-PGPUB;	2004/05/51 15:00
		,	EPO; JPO;	
			DERWENT;	
	107		IBM_TDB	0004/00/04 40 00
-	127	dielectric adj resonator and tuning near5 (plate disk disc washer ring annulus)	USPAT;	2004/03/31 13:09
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	55	(dielectric adj resonator and tuning near5 (plate disk disc washer ring	USPĀT;	2004/03/31 13:24
		annulus)) and (size shape proportion dimension length radius thickness	US-PGPUB;	
		width heigth) near5 (plate disk disc washer ring annulus)	EPO; JPO;	
			DERWENT; IBM TDB	
-	28	(dielectric adj resonator and tuning near5 (plate disk disc washer ring	USPAT;	2004/03/31 13:25
]		annulus)) and (differ\$4 dissimiliar) with (plate disk disc washer ring	US-PGPUB;	
		annulus)	EPO; JPO;	
			DERWENT;	
_	14	(dialactric adi reconstor and tuning mans (-1-t- 1:-1- 1:	IBM_TDB	2004/02/21 12 27
	14	(dielectric adj resonator and tuning near5 (plate disk disc washer ring annulus)) and (differ\$4 dissimiliar) near5 (plate disk disc washer ring	USPAT; US-PGPUB;	2004/03/31 13:27
		annulus)	EPO; JPO;	
		·	DERWENT;	
			IBM_TDB	
-	14	((dielectric adj resonator and tuning near5 (plate disk disc washer ring	USPAT;	2004/03/31 13:40
		annulus)) and (differ\$4 dissimiliar) with (plate disk disc washer ring	US-PGPUB;	
		annulus)) not ((dielectric adj resonator and tuning near5 (plate disk disc washer ring annulus)) and (differ\$4 dissimiliar) near5 (plate disk	EPO; JPO; DERWENT;	
		disc washer ring annulus)) and (differ \$4 dissimiliar) hears (plate disk	IBM_TDB	
———		//	יייייייייייייייייייייייייייייייייייייי	

			LICDATE	2004/02/21 12:40
-	8	dielectric adj resonator and (tuned tuning tunes) with (plate disc disk	USPAT;	2004/03/31 13:42
		ring washer) with (shape size) with different	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	26	dielectric adj resonat\$4 and (plate disc disk ring washer) with (shape	USPAT;	2004/03/31 13:43
		size) with different not (dielectric adj resonator and (tuned tuning	US-PGPUB;	
	1	tunes) with (plate disc disk ring washer) with (shape size) with different	EPO; JPO;	
			DERWENT;	
		(IBM TDB	
	13	dielectric adj resonat\$4 and (plate disc disk ring washer) near7 (shape	USPAT;	2004/03/31 13:49
	"	size) near7 different not (dielectric adj resonator and (tuned tuning	US-PGPUB;	200 11 00 10 10 11
		tunes) with (plate disc disk ring washer) with (shape size) with different	EPO; JPO;	
		\	DERWENT;	
		'	IBM_TDB	
	5	dielectric adj resonat\$4 and (plate disc disk ring washer) near7 (width	USPAT;	2004/03/31 13:47
-			,	2004/03/31 13.47
		radius length heigth) near7 different not (dielectric adj resonator and (US-PGPUB;	
		tuned tuning tunes) with (plate disc disk ring washer) with (shape size)	EPO; JPO;	
		with different)	DERWENT;	
			IBM_TDB	0004/05/54
-	4	dielectric adj resonat\$4 and (plate disc disk ring washer) near7 (USPAT;	2004/03/31 13:47
		dimension) near7 different not (dielectric adj resonator and (tuned	US-PGPUB;	
		tuning tunes) with (plate disc disk ring washer) with (shape size) with	EPO; JPO;	
		different)	DERWENT;	
			IBM_TDB	
-	3	dielectric adj resonat\$4 and (plate disc disk ring washer) near7 (USPAT;	2004/03/31 13:48
}		thickness height) near7 different not (dielectric adj resonator and (US-PGPUB;	
		tuned tuning tunes) with (plate disc disk ring washer) with (shape size)	EPO; JPO;	
ļ		with different)	DERWENT;	
1		, and the second	IBM TDB	
_	15	dielectric adj resonat\$4 and (plate disc disk ring washer) near7 (shape	USPĀT;	2004/03/31 13:53
		size width length height thickness dimension) near7 (vary varies) not (US-PGPUB;	
	1	dielectric adj resonator and (tuned tuning tunes) with (plate disc disk	EPO; JPO;	
		ring washer) with (shape size) with different)	DERWENT;	
		I mg washer, with (shape size) with anterest)	IBM_TDB	
_	667	dielectric adj3 filter and tuning	USPAT;	2004/03/31 13:54
	1	diction and stanning	US-PGPUB;	2004/05/51 15.54
1	1		EPO; JPO;	
ļ			DERWENT;	
1			IBM_TDB	
_	260	(dielectric adj3 filter and tuning) and 333/\$.ccls.	USPAT;	2004/03/31 13:54
-	200	(dielectric adjo finer and tuning) and 355/\$.ccis.		2004/03/31 13.34
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		((dialogue) adi2 filter and trains) and 222/6 and 222/6	IBM_TDB	2004/02/21 12 55
-	74	((dielectric adj3 filter and tuning) and 333/\$.ccls.) and tuning near6	USPAT;	2004/03/31 13:56
	1	(size shape dimension length width height thickness)	US-PGPUB;	
1	j '		EPO; JPO;	
1			DERWENT;	
1	'		IBM_TDB	
] -	21	((dielectric adj3 filter and tuning) and 333/\$.ccls.) and tuning near6	USPAT;	2004/03/31 14:02
1		(size shape dimension length width height thickness) with (differ\$7	US-PGPUB;	
1		vari\$6 nonuniform assorted)	EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	22	(("4335365") or ("4896125") or ("5841330") or ("5612655") or	USPAT;	2004/03/31 14:10
		("5812036") or ("5805033") or ("6353373") or ("4423397") or	US-PGPUB;	
		("6262639") or ("3737816") or ("5220300")).PN.	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	("4028652" "4241322").PN.	USPAT	2004/03/31 14:07
1 -	10	4896125.URPN.	USPAT	2004/03/31 14:08
				· · · · · · · · · · · · · · · · · · ·

•	42	dielectric adj resonator and filter and tuning with (shape size) with frequency	USPAT; US-PGPUB;	2004/03/31 14:32
			EPO; JPO;	
			DERWENT;	
		(//	IBM_TDB	0004/04/04 00 50
-	1013	(((333/202) or (333/209) or (333/208) or (333/219.1) or	USPAT;	2004/04/01 09:53
		(333/235)).CCLS.) and (tun\$7)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	50	(((333/202) or (333/209) or (333/208) or (333/219.1) or	EPO; JPO;	2004/04/01 09:54
		(333/235)).CCLS.) and (tun\$7)	DERWENT	
-	866	(((333/202) or (333/209) or (333/208) or (333/219.1) or	USPAT	2004/04/01 09:54
		(333/235)).CCLS.) and (tun\$7)	*****	0004/00/01 14 46
-	16	dielectric adj resonator and filter and tuning with (diameter) with	USPAT;	2004/03/31 14:46
		frequency	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	20	dielectric adj3 resonator and tuning with (diameter) with frequency	USPAT;	2004/03/31 14:46
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	2126	((222/206) (222/202) (222/221) (222/222) (222/222)	IBM_TDB	2004/02/21 16:25
-	2136	((333/206) or (333/207) or (333/231) or (333/232) or (333/222) or (333/223)).CCLS.	USPAT; US-PGPUB;	2004/03/31 16:25
		(333/223)).CCL3.	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	636	(((333/206) or (333/207) or (333/231) or (333/232) or (333/222) or	USPAT;	2004/03/31 16:26
		(333/223)).CCLS.) and (tun\$7)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
<u> </u>	429	(((((333/206) or (333/207) or (333/231) or (333/232) or (333/222) or	USPAT;	2004/03/31 16:26
	, ,	(333/223)).CCLS.) and (tun\$7)) not ((((333/202) or (333/209) or	US-PGPUB;	200 00 10.20
		(333/208) or (333/219.1) or (333/235)).CCLS.) and (tun\$7))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
•	1013	(((333/202) or (333/209) or (333/208) or (333/219.1) or	USPAT;	2004/04/01 09:53
		(333/235)).CCLS.) and (tun\$7)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	50	(((333/202) or (333/209) or (333/208) or (333/219.1) or	EPO; JPO;	2004/04/01 09:54
		(333/235)).CCLS.) and (tun\$7)	DERWENT	0004/04/04 00 7:
-	866	(((333/202) or (333/209) or (333/208) or (333/219.1) or	USPAT	2004/04/01 09:54
_	866	(333/235)).CCLS.) and (tun\$7) ((((333/202) or (333/209) or (333/208) or (333/219.1) or	USPAT	2004/04/01 09:55
1	000	((((333/202) or (333/209) or (333/208) or (333/219.1) or (333/235)).CCLS.) and (tun\$7)) not (((((333/202) or (333/209) or	USIAI	2007/07/01 09.33
		(333/208) or (333/219.1) or (333/235)).CCLS.) and (tun\$7))		
-	97	(((((333/202) or (333/209) or (333/208) or (333/219.1) or	USPAT;	2004/04/01 10:02
		(333/235)).CCLS.) and (tun\$7)) not (((((333/202) or (333/209) or	US-PGPUB;	
		(333/208) or (333/219.1) or (333/235)).CCLS.) and (tun\$7)	EPO; JPO;	
		((((333/202) or (333/209) or (333/208) or (333/219.1) or	DERWENT;	
_	2863	(333/235)).CCLS.) and (tun\$7))) ((333/202) or (333/209) or (333/208) or (333/219.1) or	IBM_TDB USPAT;	2004/04/01 10:01
-	2003	(333/235)).CCLS.	US-PGPUB;	2004/04/01 10:01
		(555.250)).5526.	EPO; JPO;	
		<u> </u>	DERWENT;	
			IBM_TDB	

-	1850	(((333/202) or (333/209) or (333/208) or (333/219.1) or	USPAT;	2004/04/01 12:57
		(333/235)).CCLS.) not (((((333/202) or (333/209) or (333/208) or	US-PGPUB;	
		(333/219.1) or (333/235)).CCLS.) and (tun\$7)))	EPO; JPO;	
			DERWENT;	
			IBM TDB	